



Think ahead.

# Tork Xpress Soft Multifold HT Adv 2p Z

130289



## Description

Provide good hand drying and comfort to your guests with the soft Advanced Tork Xpress® Soft Multifold Hand Towels that are gentle to the hands with a high quality feel. These towels are suitable for the Tork Xpress® Multifold Hand Towel Dispenser for medium traffic washrooms. It fits small places and provides both comfort and hygiene to your guests.

- A large, soft hand towel with a high quality feel that leaves a lasting impression
- Embossing enhances hand feel and maximizes absorbency
- Advanced quality for cost savings and high performance
- One-at-a-time dispensing for reduced consumption and increased hygiene
- Advanced
- Embossing
- Tork Easy Handling ® Packaging

## Certifications



## Product Details

Print	No
Unfolded Width	21.3 cm
Embossing	Yes
Folded length	8 cm
Ply	2
Unfolded length	24 cm
System	H2
Color	White

## Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322541237718	7322541237725	7322541879239
Packaging Material	Banderole	Plastic	-
Pieces	180	3780 (21 CON)	94500 (25 TRP)
Height	130 mm	215 mm	1,236 mm
Length	80 mm	575 mm	1,200 mm
Width	213 mm	370 mm	1,000 mm
Gross Weight	422.65 g	8.94 kg	223.47 kg
Net Weight	417.75 g	8.77 kg	219.32 kg
Volume	2.21 dm3	45.74 dm3	1.48 m3
Layers Per Pallet	-	-	5
TRP Per Layer	-	-	5

Compatible Products



Tork Xpress Multifold Hand Towel Disp Wh  
552000



Tork Xpress Multifold HT Disp Black  
552008



Tork Xpress Mini Multifold HT Disp White  
552100



Tork Xpress Countertop Multif HT Disp Bl  
552208

Environmental Information

Content	<p>The product is made from</p> <p>Fresh fibres</p> <p>The packaging material is made from paper or plastic.</p>
Material	<p>Fresh fibres</p> <p>Essity has an ambitious target that all raw materials derived from wood-based fresh fibre used in the production of our products is certified either in accordance with the FSC® or the Program for the Endorsement of Forest Certification (PEFC™). In addition, all wood-based fresh fibre shall fulfil the FSC® Controlled Wood standard, including third-party verification. The Essity Fibre Sourcing Policy describes this in more detail and can be found on <a href="http://www.essity.com">www.essity.com</a>.</p> <p>Fresh fibre pulp is produced from softwood or hardwood. The wood is subject to chemical and /or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.</p> <p>Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.</p>
Chemicals	<p>All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.</p> <p>To control product performance we use additives:</p> <ul style="list-style-type: none"><li>• Wet strength agents (for Wipers and Hand Towels)</li><li>• Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)</li><li>• For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added</li><li>• For printing products printing inks (pigments with carriers and fixatives) are applied</li><li>• For multi ply products we often use water soluble glue to secure the integrity of the product</li></ul> <p>In most of our mills we do not add optical brighteners.</p> <p>We do not use softeners for professional hygiene products.</p> <p>High product quality is secured through quality and hygiene management systems throughout production, storage and transport.</p>

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Food Contact	This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.
Environmental certification	<p>This product is certified with the EU Ecolabel with certificate number SE/004/001.</p> <p>This product is certified for FSC® with certificate number SA-COC-008266.</p>
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	<p>Date of issue: 17-01-2022</p> <p>Revision date: 11-06-2025</p>
Production	This product is produced at Skelmersdale - GB mill and certified according to ISO 9001, ISO 14001 (Environmental management systems), OHSAS 18001 and FSC Chain-Of-Custody.
Destruction	This product is mainly used for personal hygiene and can be collected together with household waste.
Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom	