C156: Heavy Duty Carpet Extraction Cleaner

for high soiling in high traffic areas

Description of product

Suitable for use for pre-spraying and spot cleaning of heavily soiled areas. Rapid dirt removal. Compatible with all makes of hot/cold water extraction machines. Low foam for ease of pick up. Pleasantly perfumed. No unpleasant after odour.

Product Uses

Fast acting for high soiling in heavy traffic areas. Developed to rapidly cut through grease and heavy soiling, able to suspend typical winter soiling for easy machine extraction. Compatible with Selden's odour neutraliser and antistatic additives

Directions

** N.B. Test a small inconspicuous area of the carpet for colour fastness before commencing cleaning. ** Dilute 1 part to 40 parts hot/cold water (to machine specification). Ensure detergent spray is not blocked and suction recovery is functioning correctly. Spray and pick up in accordance with machine manufacturers recommendations. Ensure that as much liquid as possible is extracted from the carpet to speed up drying. For general pre-spraying dilute 1 part to 10 parts water. For heavily soiled areas pre-spray with 1 part to 4 parts warm water then use extraction cleaner as normal.

iNsight Supported

iNsight is Selden's interactive product selection and training system. Enables the user to create full COSHH training kits, wallcharts, task cards and more. visit http://www.selden.co.uk/insight

iNsight recommended product uses

Carpet - cleaning, water extraction

Carpet - skimming

Carpet - stain removal



typical dilution

see label see label

Product Hazards and PPE Requirements

Danger



Contains: Sodium hydroxide, Ethyl hexyl glucolside

Risk Phrases

Causes severe skin burns and eye damage.

Safety Phrases

Keep out of reach of children. Wash hands thoroughly after handling. Wear eye protection, protective gloves. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention. Store locked up.

Technical Data

Blend of non-ionic surfactants, alkaline builders, sequestrants and water soluble perfumes

Appearance Clear Liquid Colour Density 1.075

рΗ >12 Fragrance

Stability 2 Years in unopened containers at ambient temperatures

accredited testing laboratory No. 4204



SELDEN

formulating testing manufacturing

> the highest standards

Environmental Profile

Biodegradability

All surfactants contained in Selden Products meet the requirements of the EU Detergent Directive 2005 -2004/648/EC. This requires all surfactants to break down both • If it can be recycled, it will be recycled. quickly and completely into harmless material such as CO2 . Our chemicals policy exceeds regulatory requirements.

Selden Environmental Charter

- . We set ourselves industryleading standards.
- Selden minimises wastage, packaging and transportation. 14001 Environmental System
- . We don't expect other people to clean up after us.
- . Conserving energy, preserving resources.
- . By being innovative, we strive to do better.
- . We like to work in partnership with our clients
- Visit our website for more information

External Accreditations

9001 - Quality System

18001 - Health & Safety System

Product conforms with the DEFRA endorsed Sustainable Cleaning IPPC Certified Manufacturer

Sustainability



COSHH+ Supported

Selden's bespoke COSHH awareness and product training tool. Users specify the products in use and instantly generate a full training pack to enable quick and effective staff training.



www.flagship-mcp.com

Flagship products are those products that are included in Selden Multi-language Cleaning Programme. Flagship products have induction kits, best practise guidance. MSDS, wallcharts and usage guides available in the following languages



english, french, spanish, portuguese, polish, german, dutch, russian, romanian, estonian, czech, croatian.

Selden Research Limited

Staden Business Park, Staden Lane, Buxton

Derbyshire, SK17 9RZ

Tel: 01298 26226 | Fax: 01298 26540 | Email: info@selden.co.uk | web: www.selden.co.uk









