I



SAFETY DATA SHEET

InstantGEL Complete

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	InstantGEL Complete	
Product number	ISG1L, ISG400ML, ISG100ML, ISG1LMD, ISG400MLMD, ISG100MLMD, ISG1LSC, ISG1LPFR	
1.2. Relevant identified uses of	of the substance or mixture and uses advised against	
Identified uses	PT1 Human Hygiene Biocidal Product	
1.3. Details of the supplier of t	he safety data sheet	
Supplier	SC Johnson Professional Ltd Denby Hall Way Denby Derbyshire DE5 8JZ +44 (0) 1773 855100 info.prouk@scj.com	
1.4. Emergency telephone nu	mber	
Emergency telephone	National Poisons Information Service (UK) 0344 8920111 (Health Professionals only) National Poisons Information Centre (Eire) 01-8092566/8379964	
SECTION 2: Hazards identific	ation	
2.1. Classification of the subst	ance or mixture	
Classification (EC 1272/2008)		
Physical hazards	Flam. Liq. 2 - H225	
Health hazards	Eye Irrit. 2 - H319	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard pictograms		
Signal word	Danger	
Hazard statements	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.	

1/10

Precautionary statements	 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P404 Store in a closed container. P501 Dispose of contents/ container in accordance with local regulations.
Supplemental label information	BPR001 Use biocides safely. Always read the label and product information before use.
Supplementary precautionary statements	P233 Keep container tightly closed.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
ETHANOL		60-100%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319		
GLYCERIN		1-10%
CAS number: 56-81-5	EC number: 200-289-5	REACH registration number: 01- 2119471987-18-XXXX
Classification		

Not Classified

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1.	Description	of first aid	measures
------	-------------	--------------	----------

General information	Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	DO NOT induce vomiting. Get medical attention immediately. Never give anything by mouth to an unconscious person.
Skin contact	Not relevant.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.
4.2. Most important sympton	ns and effects, both acute and delayed
Inhalation	No specific symptoms known.
Ingestion	May cause nausea, headache, dizziness and intoxication.

Skin contact	None known.
Eye contact	This product is moderately irritating.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Highly flammable liquid and vapour. May form explosive mixture with air at very high concentration.
Hazardous combustion products	Oxides of carbon.
5.3. Advice for firefighters	
Protective actions during firefighting	Fight fire from safe distance or protected location.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Keep away from heat, sparks and open flame. Keep away from heat, sparks and open flame. Avoid contact with eyes. Avoid contact with eyes. Provide adequate general and local exhaust ventilation. Provide adequate general and local exhaust ventilation.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Store at temperatures between 0°C and 30°C. Take precautionary measures against static discharges.
Storage class	Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

GLYCERIN

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist WEL = Workplace Exposure Limit.

Ingredient comments WEL = Workplace Exposure Limits

ETHANOL (CAS: 64-17-5)

DNEL	Professional - Inhalation; local effects: 1900 mg/m ³ Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m ³ Consumer - Inhalation; local effects: 950 mg/m ³ Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m ³ Consumer - Oral; Long term systemic effects: 87 mg/kg/day
PNEC	 marine water; 0.79 mg/l Fresh water; 0.96 mg/l Intermittent release; 2.75 mg/l STP; 580 mg/l Sediment (Freshwater); 3.46 mg/kg Sediment (Marinewater); 2.9 mg/l Soil; 0.63 mg/kg GLYCERIN (CAS: 56-81-5)
DNEL	Workers - Inhalation; Long term local effects: 56 mg/m ³ General population - Inhalation; Long term local effects: 33 mg/m ³ General population - Oral; Long term systemic effects: 229 mg/kg/day
PNEC	Fresh water; 0.885 mg/l marine water; 0.088 mg/l STP; 1000 mg/l Sediment (Freshwater); 3.3 mg/kg Sediment (Marinewater); 0.33 mg/kg Soil; 0.141 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Not relevant.

Eye/face protection	Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Not relevant.
Respiratory protection	Not relevant.
SECTION 9: Physical and che	emical properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Viscous liquid.
Colour	Colourless to pale yellow.
Odour	Alcoholic.
Odour threshold	Not determined.
рН	pH (concentrated solution): 8.1
Melting point	<20°C
Initial boiling point and range	80 -90°C @
Flash point	15.3°C Pensky-Martens closed cup.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined. Lower flammable/explosive limit: 3.5 % (V) Ethanol Upper flammable/explosive limit: 15 % (V) Ethanol
Vapour pressure	300 hPa @ 55°C
Vapour density	Not determined.
Relative density	0.845 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	475 C°C
Decomposition Temperature	Not determined.
Viscosity	3000-7000 mPa s @ 20°C
Explosive properties	Not determined.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	

Stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a
	hazardous situation.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Oxides of carbon.
SECTION 11: Toxicological in	formation
11.1. Information on toxicolog	ical effects
Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - dermal</u> Notes (dermal LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.
Carcinogenicity	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
Reproductive toxicity	
Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.
Specific target organ toxicity -	sindle exposure
STOT - single exposure	No information available.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	No information available.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	No specific health hazards known.
Inhalation	No specific health hazards known.

Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	Skin irritation should not occur when used as recommended.
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.

Toxicological information on ingredients.

Acute toxicity - oral Acute toxicity oral (LD50 10,470.0 mg/kg) Species Rat ATE oral (mg/kg) 10,470.0 Acute toxicity - dermal Acute toxicity dermal (LD₅₀ 20,000.0 mg/kg) Species Rabbit Acute toxicity - inhalation Acute toxicity inhalation 117.0 (LC50 vapours mg/l) Species Rat ATE inhalation (vapours 117.0 mg/l) Skin corrosion/irritation Animal data Oedema score: Very slight oedema - barely perceptible (1). **SECTION 12: Ecological information** Ecotoxicity

ETHANOL

The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC

12.1. Toxicity

Toxicity

The product is not expected to be toxic to aquatic organisms.

Ecological information on ingredients.

Acute aquatic toxicity

ETHANOL

·	
Acute toxicity - fish	LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow) LC₅₀, 96 hours: mg/l, Fish
Acute toxicity - aquatic invertebrates	EC₅₀, > 48 hours: 10000 mg/l, Daphnia magna EC₅₀, : 858 24H mg/l, Marinewater invertebrates EC₅₀, 48 hours: mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 275 mg/l, Freshwater algae IC₅₀, 72 hours: 5000 mg/l, Algae

12.2. Persistence and degradability

Persistence and degradability	The product is biodegradable.		
12.3. Bioaccumulative potentia	12.3. Bioaccumulative potential		
Bioaccumulative potential	No data available on bioaccumulation.		
Partition coefficient	Not determined.		
12.4. Mobility in soil			
Mobility	The product is soluble in water.		
12.5. Results of PBT and vPvE	3 assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.		
12.6. Other adverse effects			
Other adverse effects	None known.		
SECTION 13: Disposal conside	erations		
13.1. Waste treatment method	S		
General information	When handling waste, the safety precautions applying to handling of the product should be considered.		
Disposal methods	This material and its container must be disposed of as hazardous waste. Dispose of waste product or used containers in accordance with local regulations Reuse or recycle products wherever possible.		
SECTION 14: Transport inform	nation		
14.1. UN number			
UN No. (ADR/RID)	1170		
UN No. (IMDG)	1170		
UN No. (ICAO)	1170		
UN No. (ADN)	1170		
14.2. UN proper shipping name	9		
Proper shipping name (ADR/RID)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
Proper shipping name (IMDG)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
Proper shipping name (ICAO)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
Proper shipping name (ADN)	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
14.3. Transport hazard class(e	<u>s)</u>		
ADR/RID class	3		
ADR/RID classification code	F1		
ADR/RID label	3		
IMDG class	3		
ICAO class/division	3		
ADN class	3		

Transport labels



II		
II		
II		
II		
ostance/marine pollutant		
14.6. Special precautions for user		
F-E, S-D		
2		
•2YE		
33		
(D/E)		

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work. Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). REGULATION (EU) No 528/2012 (as amended) concerning the making available on the
PCS Number	market and use of biocidal products. 99173

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Use biocides safely. Always read the label and product information before use.

Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
Revision comments	Revision of information NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	27/04/2020
Revision	14
Supersedes date	20/09/2019
SDS number	21500
Hazard statements in full	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.
Notes for Hazard Statements in Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.