



Description

Provide your guests with the comfort of being at home, away from home, with the Premium Tork Conventional Toilet Roll. This soft toilet paper offers a superior look and feel with the right performance for low-traffic washrooms.

- Extra long roll: fewer refills, saves maintenance time
- Attractive décor: designed to make a great impression
- Soft tissue with high brightness for a lasting impression
- Premium
- General public use
- Embossing

Certifications



Tork
Premium

Product Details

Embossing	Yes
Number of Sheets	400
Print	No
Roll diameter	12 cm
Roll length	50 m
Sheet length	12.5 cm
Ply	2
Roll width	9.4 cm
Core inside diameter	4 cm
System	T4
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7310791207070	7310791207087	7322540746440
Packaging Material	Plastic	Plastic	-
Pieces	6	42 (7 CON)	1008 (24 TRP)
Height	188 mm	188 mm	1,289 mm
Length	116 mm	812 mm	1,200 mm
Width	342 mm	342 mm	1,000 mm
Gross Weight	930.35 g	6.54 kg	157.06 kg
Net Weight	896.76 g	6.28 kg	150.66 kg
Volume	7.46 dm ³	52.21 dm ³	1.25 m ³
Layers Per Pallet	-	-	6
TRP Per Layer	-	-	4

Tork Soft Conventional Toilet Roll Premium – 2 Ply

12324

Compatible Products



Tork Conventional Toilet Roll Disp White
557000



Tork Conventional Toilet Roll Disp Black
557008

Environmental Information

Content

The product is made from

Fresh fibres

The packaging material is made from paper or plastic.

Material

Fresh fibres

Essity has an ambitious target that all raw materials derived from wood-based fresh fibre used in the production of our products is certified either in accordance with the FSC® or the Program for the Endorsement of Forest Certification (PEFC™). In addition, all wood-based fresh fibre shall fulfil the FSC® Controlled Wood standard, including third-party verification. The Essity Fibre Sourcing Policy describes this in more detail and can be found on www.essity.com.

Fresh fibre pulp is produced from softwood or hardwood. The wood is subject to chemical and /or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

Tork Soft Conventional Toilet Roll Premium – 2 Ply

12324

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	<p>This product is certified with the EU Ecolabel with certificate number SE/004/001.</p> <p>This product is certified for FSC® with certificate number SA-COC-008266.</p>
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	<p>Date of issue: 21-11-2022</p> <p>Revision date: 27-02-2026</p>
Production	This product is produced at Ortmann - AT mill and certified according to ISO 9001, EMAS (eco-management and audit scheme), ISO 45001 and FSC Chain-Of-Custody.
Destruction	This product is suitable to be taken care of in the normal sewage system of the community.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom