



Think ahead.

Tork Mid-Size Toilet Roll Universal - 1 Ply

127540



Description

The Tork Twin Mid-size Toilet Roll Dispenser system is a modern and efficient system ideal for low to medium-traffic washrooms with a high focus on guest satisfaction. It ensures high efficiency and that toilet paper is always available for guests. The Universal Tork Soft Mid-size Toilet Roll meets the basic needs while offering good value for money.

- Compact mid-sized rolls
- Affordable paper that offers good value for money
- High capacity
- Universal
- Tork Easy Handling® Packaging

Certifications



Tork Universal

Product Details

Print	No
Roll diameter	13.2 cm
Roll length	135 m
Ply	1
Roll width	9.9 cm
Core inside diameter	3.5 cm
System	T6
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540475852	7322540475869	7322540716047
Packaging Material	none	Carton	-
Pieces	1	27 (27 CON)	648 (24 TRP)
Height	99 mm	418 mm	1,415 mm
Length	132 mm	410 mm	1,200 mm
Width	132 mm	311 mm	1,000 mm
Gross Weight	329.31 g	9.53 kg	228.62 kg
Net Weight	311.4 g	8.41 kg	201.79 kg
Volume	1.73 dm3	53.3 dm3	1.28 m3
Layers Per Pallet	-	-	3
TRP Per Layer	-	-	8



Think ahead.

Tork Mid-Size Toilet Roll Universal - 1 Ply

127540

Compatible Products



Tork Twin Mid-size Toilet Roll Disp Whi
557500



Tork Twin Mid-size Toilet Roll Disp Bla
557508

Environmental Information

Content

The product is made from

Recycled fibres
Chemicals

The packaging material is made from paper or plastic.

Material

Recycled fibres

Recycling of paper is an efficient use of resources as the wood fibres are used more than once.

High demands are put on quality and purity of recovered paper, considering each step of the chain (collecting, sorting, transporting, storage, use), to ensure safe and hygienic products.

Recycled fibres can be produced from different types of recovered paper, such as collected newsprint, magazines, office waste, paper cups, drink cartons, corrugated boxes and paper hand towels. The choice of recovered paper grades is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

Bleaching of pulp, used for tissue, is primarily a process to remove substances that could have a negative effect on important properties of the finished product such as purity, absorption, strength and colour of the pulp.

Bleaching of the recycled fibre pulp is done using chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite). Some of our products are bleached and some are not.

For bleached products we use bleaching agents (to increase the brightness of pulp from recovered paper).

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

Tork Mid-Size Toilet Roll Universal - 1 Ply

127540

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke and to utilise recovered fibres we use:

- Pulping aid (chemicals that help to repulp wet strong paper)
- Flocculation chemicals (that help to clean out printing inks and fillers from recovered paper)
- Bleaching agents (to increase the brightness of pulp from recovered paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	<p>This product is certified with the EU Ecolabel with certificate number SE/004/001.</p> <p>This product is certified for FSC® with certificate number SA-COC-008266.</p>
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	<p>Date of issue: 23-08-2019</p> <p>Revision date: 05-03-2026</p>
Production	This product is produced at Skelmersdale - GB mill and certified according to ISO 9001, ISO 14001 (Environmental management systems), OHSAS 18001 and FSC Chain-Of-Custody.
Destruction	This product is suitable to be taken care of in the normal sewage system of the community.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom