



Tork Mini Jumbo Toilet Roll Advanced

472587

Think ahead.



Description

The Tork Mini Jumbo system stands for time efficiency and reduced cost, offering much more toilet paper than standard rolls. Tork Mini Jumbo Toilet Roll Advanced 2 ply balances cost and performance and is suitable for medium to high-traffic locations.

- High capacity: less maintenance and reduced risk of paper shortage
- Tork Easy Handling® Packaging
- Advanced
- General public use

Certifications



Tork Advanced



Product Details

Embossing	No
Print	No
Roll diameter	19.3 cm
Roll length	200 m
Sheet length	20 cm
Ply	2
Roll width	9 cm
Core inside diameter	7.6 cm
System	T2
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322540657944	7322540657951	7322540948837
Packaging Material	Plastic	-	
Pieces	1	12 (12 CON)	420 (35 TRP)
Height	90 mm	180 mm	1,421 mm
Length	193 mm	579 mm	1,200 mm
Width	193 mm	386 mm	1,000 mm
Gross Weight	575.46 g	6.99 kg	244.62 kg
Net Weight	547.2 g	6.57 kg	229.82 kg
Volume	3.35 dm3	40.23 dm3	1.41 m3
Layers Per Pallet	-	-	7
TRP Per Layer	-	-	5



Think ahead.

Tork Mini Jumbo Toilet Roll Advanced

472587

Compatible Products



Tork Mini Jumbo Toilet Roll Disp SS
460006



Tork Mini Jumbo Toilet Roll Disp White
555000



Tork Mini Jumbo Toilet Roll Disp Black
555008



Tork Twin Mini Jumbo TR Disp White
555500

Environmental Information

Content

The product is made from

Fresh fibres

The packaging material is made from paper or plastic.

Material

Fresh fibres

Essity has an ambitious target that all raw materials derived from wood-based fresh fibre used in the production of our products is certified either in accordance with the FSC® or the Program for the Endorsement of Forest Certification (PEFC™). In addition, all wood-based fresh fibre shall fulfil the FSC® Controlled Wood standard, including third-party verification. The Essity Fibre Sourcing Policy describes this in more detail and can be found on www.essity.com.

Fresh fibre pulp is produced from softwood or hardwood. The wood is subject to chemical and /or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

Tork Mini Jumbo Toilet Roll Advanced

472587

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified with the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC® with certificate number SA-COC-008266.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 24-02-2025 Revision date: 06-03-2026
Production	This product is produced at Skelmersdale - GB mill.
Destruction	This product is suitable to be taken care of in the normal sewage system of the community.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom