



Description

Tork OptiServe® Coreless is a high-capacity toilet paper system for facilities where efficiency, sustainability and providing a great experience are key. It's a better alternative than conventional toilet paper and traditional jumbo rolls. The wide offer of dispensers means different needs within a facility can be met with only one type of toilet paper.

- Soft, luxurious, perforated 3-ply toilet paper with attractive design for an at-home-like experience
- 3x more paper compared to conventional rolls to avoid run-outs
- Compact rolls: refill less often and save time
- No core and no wrap means less waste
- Half the storage space vs conventional toilet rolls
- Tork Easy Handling® packaging for ergonomic carrying
- Tork Easy Handling® Packaging
- Space saving
- Coreless
- High capacity
- Embossing

Certifications



Product Details

Embossing	Yes
Print	No
Roll diameter	13.1 cm
Roll length	63.25 m
Ply	3
Roll width	9.3 cm
System	T7
Color	White

Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322542401064	7322542401095	7322542401101
Packaging Material	none	Plastic Shrink Film	-
Pieces	1	18 (18 CON)	720 (40 TRP)
Height	93 mm	279 mm	1,277 mm
Length	131 mm	393 mm	1,200 mm
Width	131 mm	262 mm	1,000 mm
Gross Weight	275.29 g	5 kg	199.96 kg
Net Weight	275.29 g	4.96 kg	198.21 kg
Volume	1.6 dm3	28.73 dm3	1.15 m3
Layers Per Pallet	-	-	4
TRP Per Layer	-	-	10

Compatible Products



**TORK OPTISERVE CORELESS 2-ROLL
DIS WHI**
558041



**Tork OptiServe Coreless 2-Roll Dis
Black**
558042



**TORK OPTISERVE CORELESS 4-ROLL
DIS WHI**
558051



**Tork OptiServe Coreless 4-Roll Dis
Black**
558052

Environmental Information

Content

The product is made from

Fresh fibres

The packaging material is made from paper or plastic.

Material

Fresh fibres

Essity has an ambitious target that all raw materials derived from wood-based fresh fibre used in the production of our products is certified either in accordance with the FSC® or the Program for the Endorsement of Forest Certification (PEFC™). In addition, all wood-based fresh fibre shall fulfil the FSC® Controlled Wood standard, including third-party verification. The Essity Fibre Sourcing Policy describes this in more detail and can be found on www.essity.com.

Fresh fibre pulp is produced from softwood or hardwood. The wood is subject to chemical and /or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printing products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use water soluble glue to secure the integrity of the product

In most of our mills we do not add optical brighteners.

We do not use softeners for professional hygiene products.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

Tork OptiServe® Extra Soft Coreless Toilet Paper

472650

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

To reuse broke we use:

- Pulping aid (chemicals that help to repulp wet strong paper)

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

Environmental certification	This product is certified with the EU Ecolabel with certificate number SE/004/001. This product is certified for FSC® with certificate number SA-COC-008266.
Packaging	Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes
Article creation date and latest article revision	Date of issue: 03-07-2024 Revision date: 25-11-2025
Production	This product is produced at Hondouville - FR mill and certified according to ISO 9001, ISO 14001 (Environmental management systems), BRC-IoP, ISO 45001, ISO 50001 and FSC Chain-Of-Custody.
Destruction	This product is suitable to be taken care of in the normal sewage system of the community.

Essity UK Ltd, Southfields Road, Dunstable, Bedfordshire LU6 3EJ, United Kingdom