SafeDon®

polycohealthline.com

THE WORLD'S FIRST **CUFF FIRST ONE BY ONE** GLOVE DISPENSING SYSTEM

POLYCO HEALTHLINE

SafeDon
ONE BY ONE DISPENSING

INTRODUCING
SAFEDON

Cuff first, one by one glove dispensing.
Unlike any other disposable glove dispenser

Unique features:

One glove at a time
Cuff first for easy donning

No dispenser contact
Simply take the cuff and go

Less handling
Fingers & palms remain untouched

Lower cross-contamination risk
SafeDon minimises contact with the dispenser and critical areas of the glove. Studies show up to 96%* reduction in bacteria bioburden
(full report available online)

Reduced glove waste
SafeDon dispenses one glove at a time, preventing unnecessary glove removal

Compact format
Boxes of 100 or 200 gloves per box, packed interleaved

t: 03333 208550 · e: sales@polycohealthline.com

SafeDon®
ONE BY ONE DISPENSING

HOW TO USE SAFEDON


1 **Using your dominant hand, pull on the dispensing glove.**




2 **Now don the glove on the other hand (not the dominant hand).**



3 **Using your gloved hand, pull on the dispensing glove.**



4 **Now don your dominant hand with your gloved hand.**



HYGIENIC AND CLEAN DISPENSING

DISPENSING: SAFEDON gloves are dispensed from the box cuff first, one at a time, which results in less glove waste.

DONNING: Pulling a glove out by the cuff, means there is no accidental touch to any surface area of the glove whilst donning.

PRODUCTIVITY: Using a cuff first dispensing system allows for efficient glove usage, enabling users to put on one glove at a time and quickly proceed with their task.

SafeDon
ONE BY ONE DISPENSING



SD91E



SafeDon Blue Nitrile Powder Free Exam Gloves

SD91E

- Packed in a Cuff 1st™ dispenser for reduced cross-contamination
- Dispenses one glove at a time, eliminating glove wastage
- Dispensers can be wall mounted with compatible glove dispenser holders
- Textured finish to the fingertips, to enhance grip and tactile sensitivity
- Suitable for food contact; all food types. Please refer to our online Food Compatibility Chart for full details
- Latex free, powder free and silicone free
- Achieves type B chemical resistance according to EN ISO 374-1, for protection against at least 3 different chemicals
- Conforms with the requirements of EN ISO 374-5, for protection against bacteria, fungi and virus
- Palm Thickness: 0.06 mm



Colour

Packing
200 gloves per dispenser
10 dispensers per case

Size
S-XL

MDR - Class I PPE CAT III 2777
MD CLASS 1 MEDICAL DEVICE
EN ISO 374-1: 2016 + A1:2018 Type B
KPT
EN ISO 374-5:2016
VIRUS
AQL 1.5

t: 03333 208550 · e: sales@polycohealthline.com

SafeDon
ONE BY ONE DISPENSING

Dispensers below are suitable for use with gloves SD91E SD201

GL9665



SDD001



SafeDon Single Glove Box Holder

SafeDon GL9665/SDD001 Single Glove Box Holders keep surfaces clean and clear. The holders are wall mounted but removable and supplied with the necessary fittings. Designed for use with SafeDon SD91E and SD201 gloves.

- Lightweight and durable made from PVC plastic
- Wall mounted but removable
- Supplied with fittings
- Hygienic: keeps surfaces clean and clear

Colour	Packing	Dimension
	1 per case	93mm (h) x 127mm (w) x 140mm (d)

SafeDon Triple Glove Box Holder

SDD002



SafeDon Triple Glove Box Holder keeps surfaces clean and clear. Made from lightweight and durable PVC plastic. The holder is wall mounted but removable and supplied with the necessary fittings. Designed for use with SafeDon SD91E/ SD201 gloves.

- Lightweight and durable made from PVC plastic
- Wall mounted but removable
- Supplied with fittings
- Hygienic: keeps surfaces clean and clear

Colour	Packing	Dimension
	2 per case	123mm (h) x 386mm (w) x 141mm (d)

This dispenser is also suitable for product SD912



Glove Dispenser Multi-holder

GE/TXD

The GE/TXD Glove Dispenser Multi-holder keeps surfaces clean and clear. Designed to hold both SafeDon dispensers and standard dispensers (containing 100 disposable gloves). Made from lightweight and durable PVC plastic,the holder is wall mounted but removable and supplied with the necessary fittings.

- Lightweight and durable
- Wall mounted but removable
- Supplied with fittings
- Hygienic: keeps surfaces clean and clear

Colour	Packing	Dimension
	1 per case	277 (h) x 382 (w) x 140mm (d)

SafeDon
ONE BY ONE DISPENSING

SD91E DISTRIBUTION AND STORAGE STATISTICS





SAFEDON **SD91E has 200 gloves per box**

COMPACT FORMAT 100%

more gloves per box


against a 100 glove standard industry box





TRANSPORT BY SEA 37%


more gloves per 40FT container




A container (40FT) full of **SD91E** contains 37% more gloves than your average industry standard glove container load

TRANSPORT BY ROAD 37%

more gloves per truck





BASED ON 26 PALLETS

of SD91E compared to your average industry glove truck load

t: 03333 208550 · e: sales@polycohealthline.com

SafeDon
ONE BY ONE DISPENSING

STORAGE SPACE 37%

more gloves stored in the same space



BASED ON 62 CASES


of SD91E. Contains the same number of gloves as 90 cases of industry standard gloves



SD91E compact case

REDUCED PACKAGING 14%

less cardboard waste




Industry standard case

The compact format means 1 case uses less packaging, by weight, compared to a standard industry gloves case



REDUCTION CARBON FOOTPRINT 27%

less CO_2 emissions.



Data source: SD91E (200 pieces) vs. standard dispenser GD19 (100 pieces). Greenhouse gas emissions calculated using the Enistic platform, applying UK Government GHG Conversion Factors for Company Reporting (DESNZ) for cargo ship freight, based on port-to-port sea freight distances. Figures include direct transport and well-to-tank (WTT) emissions. Full data available at **www.polycohealthline.com/brands/safedon**. Official LCA assessments: We are currently undertaking cradle-to-grave Life Cycle Assessments (LCAs) for selected SafeDon products. The resulting environmental impact data is expected to be available from April 2027.

SafeDon
ONE BY ONE DISPENSING





SafeDon Blue Nitrile Powder Free Exam Gloves

SD912

- Packed in a Cuff 1st™ dispenser for reduced cross-contamination
- Dispenses one glove at a time, eliminating glove wastage
- Dispensers can be wall mounted with compatible glove dispenser holders
- Suitable for food contact; all food types. Please refer to our online Food Compatibility Chart for full details
- Textured fingertips provide an improved grip and optimise surface performance in both wet and dry conditions
- Suitable for use with cytotoxic/chemotherapy drugs
- Latex free, powder free and silicone free
- Achieves type B chemical resistance according to EN ISO 374-1, for protection against at least 3 different chemicals
- Conforms with the requirements of EN ISO 374-5, for protection against bacteria, fungi and virus
- Palm Thickness: 0.06 mm



Colour

Packing
200 gloves per dispenser
10 dispensers per case

Size
XS-XL

CE MDR - Class I PPE CAT III 2777
MD CLASS 1 MEDICAL DEVICE
UKCA MDR CLASS I PPE CAT III
EN ISO 374-1: 2016 + A1:2018 Type B KPT
EN ISO 374-5:2016 VIRUS
AQL 1.5

t: 03333 208550 · e: sales@polycohealthline.com

SafeDon
ONE BY ONE DISPENSING

Dispensers below are suitable for use with gloves SD912 as well as standard industry glove boxes.



Single PVC Glove Box Holder

GE/SGD

The GE/SGD Single PVC Glove Box Holder keeps surfaces clean and clear. Made from lightweight and durable PVC plastic, the holder is wall mounted but removable and supplied with the necessary fittings.

- Lightweight and durable made from PVC plastic
- Wall mounted but removable
- Supplied with fittings
- Hygienic: keeps surfaces clean and clear

Colour	Packing	Dimension
	2 per case	266 (h) x 133 (w) x 99mm (d)



Triple PVC Glove Box Holder

GE/TGD

The GE/TGD Triple PVC Glove Box Dispenser keeps surfaces clean and clear. Made from lightweight and durable PVC plastic, the holder is wall mounted but removable and supplied with the necessary fittings.

- Lightweight and durable made from PVC plastic
- Wall mounted but removable
- Supplied with fittings
- Hygienic: keeps surfaces clean and clear

Colour	Packing	Dimension
	2 per case	395 (h) x 270 (w) x 105mm (d)



Duo Glove and Apron Dispenser

GE/GAD

The GE/GAD Duo Glove and Apron Dispenser keeps surfaces clean and clear. Made from lightweight and durable PVC plastic, the holder is wall mounted but removable and supplied with the necessary fittings. The dispenser can also dispense bags instead of aprons.

- Lightweight and durable
- Wall mounted but removable
- Supplied with fittings
- Hygienic: keeps surfaces clean and clear
- Can also dispense bags instead of aprons

Colour	Packing	Dimension
	1 per case	392mm (h) x 303mm (w) x 136mm (d)

SafeDon
ONE BY ONE DISPENSING

SD912 DISTRIBUTION AND STORAGE STATISTICS





SAFEDON SD912 has 200 gloves per box

COMPACT FORMAT 100%

more gloves per box


against a 100 glove standard industry box





TRANSPORT BY SEA 38%


more gloves per 40FT container




A container (40FT) full of **SD912** contains 38% more gloves than your average industry standard glove container load

TRANSPORT BY ROAD 60%

more gloves per truck





BASED ON 26 PALLETS

of SD912 compared to your average industry glove truck load

t: 03333 208550 · e: sales@polycohealthline.com

SafeDon
ONE BY ONE DISPENSING

STORAGE SPACE 60%

more gloves stored in the same space



BASED ON 72 CASES


of SD912. Contains the same number of gloves as 90 cases of industry standard gloves



SD912 compact case

REDUCED PACKAGING 12%

less cardboard waste




Industry standard case

The compact format means 1 case uses less packaging, by weight, compared to a standard industry gloves case



REDUCTION CARBON FOOTPRINT 26%

less CO_2 emissions.



Data source: SD912 (200 pieces) vs. standard dispenser GD19 (100 pieces). Greenhouse gas emissions calculated using the Enistic platform, applying UK Government GHG Conversion Factors for Company Reporting (DESNZ) for cargo ship freight, based on port-to-port sea freight distances. Figures include direct transport and well-to-tank (WTT) emissions. Full data available at **www.polycohealthline.com/brands/safedon.** Official LCA assessments: We are currently undertaking cradle-to-grave Life Cycle Assessments (LCAs) for selected SafeDon products. The resulting environmental impact data is expected to be available from April 2027.

TIME FOR CHANGE



CUFF FIRST
ONE BY ONE
GLOVE DISPENSING
= NO WASTE



SafeDon®

FIND OUT MORE
www.polycohealthline.com



SD201



SafeDon Orange Grip Nitrile Powder Free Gloves

SD201

- Packed in a Cuff 1st™ dispenser for reduced cross-contamination
- Features a diamond grip pattern over the entire glove which optimises surface performance and ensures an exceptional grip
- Achieves type B chemical resistance according to EN ISO 374-1, for protection against at least 3 different chemicals
- Suitable for food contact; all food types.
- Latex free, reducing the risk of hypersensitivity and allergic reactions to natural rubber proteins
- Powder Free, reducing the risk of dust contamination
- Superior strength nitrile formulation provides good resistance to tears and punctures
- Conforms with the requirements of EN ISO 374-5, for protection against bacteria & fungi
- Silicone residues from gloves can interfere with painting, coating, or adhesive bonding processes, potentially causing defects. These silicone-free gloves help minimise that risk, ensuring clean application surfaces.
- Palm Thickness: 0.26 mm

Colour

Packing
100 gloves per dispenser
10 dispensers per case

Size
S-XL


PPE CAT III
2777

KPT

AQL 1.5


SafeDon
ONE BY ONE DISPENSING

SD201 DISTRIBUTION AND STORAGE STATISTICS



TRANSPORT BY SEA 31%


more gloves per 40FT container




A container (40FT) full of **SD201** contains 31% more gloves than your average industry standard glove container load

TRANSPORT BY ROAD 20%

more gloves per truck





BASED ON 26 PALLETS

of SD201 compared to your average industry glove truck load

STORAGE SPACE 20%

more gloves stored in the same space



BASED ON 48 CASES

of SD201. Contains the same number of gloves as 40 cases of industry standard gloves


SafeDon
ONE BY ONE DISPENSING



SD201 compact case

REDUCED PACKAGING 23%

less cardboard waste




Industry standard case

The compact format means 1 case uses less packaging, by weight, compared to a standard industry gloves case



REDUCTION CARBON FOOTPRINT 23%

less CO_2 emissions.



Data source: SD201 (100 pieces) vs. standard dispenser GL201 (100 pieces). Greenhouse gas emissions calculated using the Enistic platform, applying UK Government GHG Conversion Factors for Company Reporting (DESNZ) for cargo ship freight, based on port-to-port sea freight distances. Figures include direct transport and well-to-tank (WTT) emissions. Full data available at **www.polycohealthline.com/brands/safedon.**

SafeDon

For more information and to see how SafeDon works, visit:

polycohealthline.com/brands/safedon



SafeDon®

THE WORLD'S FIRST **CUFF FIRST ONE BY ONE** GLOVE DISPENSING SYSTEM

POLYCO HEALTHLINE

CONTACT US:
t: 0333 320 8550
e: sales@polycohealthline.com
www.polycohealthline.com

Polyco Healthline
South Fen Business Park
South Fen Road
Bourne · Lincolnshire · PE10 0DN

@Polyco Healthline

ISO 9001 10093
ISO 13485 10093
ISO 14001 Environmental Management CERTIFIED
ISO 22301 Business Continuity Management CERTIFIED