



Think ahead.

## Tork Xpress® Soft Multifold Hand Towel



Article	120289
System	H2 - Interfold towel system
Colour	White
Ply	2
Unfolded length	25.5 cm
Unfolded width	21.2 cm
Folded length	8.5 cm
Folded width	21.2 cm
Embossing	Yes
Print	No

Provide good hand drying and comfort to your guests with the soft Advanced Tork Xpress® Soft Multifold Hand Towels that are gentle to the hands with a high quality feel. These towels are suitable for the Tork Xpress® Multifold Hand Towel Dispenser for medium traffic washrooms. Fits small places and provides both comfort and hygiene to your guests.

### Key benefits:

- Attractive Tork Leaf décor: designed to make a great impression
- Advanced quality for cost savings and high performance
- A large, soft hand towel with a high quality feel that leaves a lasting impression
- One-at-a-time dispensing for reduced consumption and increased hygiene

## Environmental

Essity UK Ltd, Southfields Road,  
Dunstable, Bedfordshire LU6 3EJ,  
United Kingdom

Recycling of paper is an efficient use of resources as the wood fibres are used more than once. The environmental benefits and economic feasibility of recovered paper as a raw material source depend on its availability, transport distance and the quality of the collected material.

Bleaching of the recovered pulp is made with chlorine-free bleaching agents (hydrogen peroxide and sodium dithionite).

This product is certified for the EU Ecolabel.

There are different methods used today for bleaching: ECF (elementary chlorine free, where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

- Wet strength agents (for Wipers and Hand Towels)
- Dry strength agents (are used together with mechanical treatment of the pulp to make strong products like wipers)
- For coloured papers dyes and fixatives (to secure perfect fastness of the colour) are added
- For printed products printing inks (pigments with carriers and fixatives) are applied
- For multi ply products we often use a water soluble glue to secure the integrity of the product

In order to maintain a stable process and product quality the paper manufacturing process is supported by the following chemicals/ process aids:

Virgin pulp fibres are produced out of softwood or hardwood. The wood is subject to chemical and/or mechanical processes where the cellulose fibres are separated out and lignin and other residuals are removed.

## Food Contact

This product fulfills the legislative requirements for Food Contact materials, confirmed by external certification performed by a third party. The product is safe for wiping food contact surfaces and may also come occasionally into contact with foodstuffs for a short period of time.

## Chemicals

All chemicals (process aids as well as additives) are assessed from an environmental, occupational health and safety and product safety point of view.

To control product performance we use additives:

This product is certified for FSC®.

## Content

The product is made from

## Production

This product is produced at KOSTHEIM mill, DE and certified according to HACCP, ISO 9001, ISO 14001 (Environmental management systems), OHSAS 18001, EMAS (eco-management and audit scheme), ISO 50001 and FSC Chain-Of-Custody.

The packaging material is made from paper or plastic.

High product quality is secured through quality and hygiene management systems throughout production, storage and transport.

Recovered paper can be produced both from collected newsprint, magazines and office waste. The choice of recovered paper grades, is made for each product, depending on its specific requirements on performance properties and brightness. The paper is dissolved in water, washed and treated with chemicals under high temperature and screened to separate out impurities.

## Destruction

This product is mainly used for personal hygiene and can be collected together with household waste.

In the cleaning of our waste water we use flocculation agents and nutrients for the biological treatment to secure that no negative impact on water quality comes from our mills.

## Packaging

Fulfillment of Packaging and Packaging Waste Directive (94/62/EC): Yes

## Material

Virgin fibres and recovered paper

- defoamers (surfactants and dispersing agents)
- pH-control (sodium hydroxide and sulphuric acid)
- retention aids (chemicals that help to agglomerate small fibres to prevent fibre loss)
- Coating chemicals (that help to control the creping of the paper to make it soft and absorbent)

In the tissue process both virgin fibres and recovered paper are being used. The choice of pulp is made based on product requirements and pulp availability so the pulp is used in the most efficient way.

## Environmental certification

### Article creation date and latest article revision

Date of issue: 09-05-2019

Revision date: 04-05-2021

To reuse broke and to utilise recovered fibres we use:

In most of our mills we do not add optical brighteners but it often occurs in recovered paper since it is used in printing paper.

We do not use softeners for professional hygiene products.

High demands are put on quality and purity of recovered fibres, considering each step of the chain (collection, sorting, transportation, storage, use), to ensure safe and hygienic products.

Virgin pulp

Recycled fibres

## Environmental

### Chemicals

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

## Contact

James Beattie  
Deb Disposables Ltd - 1298985  
Business phone:  
0161 872 3531  
Business mobile phone:  
0161 872 3531  
E-mail:  
[james@deb-disposables.co.uk](mailto:james@deb-disposables.co.uk)