

Technical Specification

Pawā® PG202 [PG20212-4]

Oil-Resistant Gloves



Per Bag: 12x Pairs

Per Carton: 120x Pairs

Glove Details:

The Pawā® PG202 is a dual layer nitrile coated glove protecting hands from industrial fluids. Benefiting from a lightweight seamless liner for ultimate dexterity, we use high quality nitrile to provide a barrier base layer enabling this glove to remain supple while a second layer featuring sandy nitrile technology offers great grip. As a result, the PG202 is perfect for keeping hands healthy and providing class leading grip and dexterity

Selected Features:

- PawāDRY™ Oil-Repellent Technology
- PawāGRIP™ Advanced Sandy Nitrile Coating
- PawāDEX™ Superior Dexterity
- PawāSHIELD™ Level 1 protection against intermittent heat contact up to 100°C
- Superior level 4 abrasion resistance



Excellent Grip

Glove Benefits:



Oil-Resistant



High Dexterity



Contact Heat Resistant

Glove Standards & Conformity:

Slove Standards & Semonthety.					
		EN388:2016 4-1-2-1-X		EN407:2004 X-1-X-X-X	
	4	Abrasion	X	Burning Behaviour	
	1	Blade Cut	1	Contact Heat	
	2	Tear	X	Convective Heat	
	1	Puncture	X	Radiant Heat	
	X	ISO Cut	X	Small Splashes Molten Metal	
			X	Large Splashes Molten Metal	

C ← CAT | New PPE Regulation (EU) 2016/425 applies



Technical Specification

Pawā® PG202 [PG20212-4]

Oil-Resistant Gloves



Glove Technologies:

PawāGRIP™

Using advanced or textured finishes, grip has been enhanced to cope with demanding work environments.

PawāDRY™

Dual layered coating providing effective repellence to oils and water safeguarding wearer hand health.

PawāDEX™

An innovative knitting technology that offers the ultimate in sensitivity and movement for the wearer.

Pawā shield"

Heat shield performance supplied through advanced liner raw materials and grip technology.



Glove Applications:

ndustry

Aerospace, Agriculture, Automotive, Construction, Engineering, Manufacturing, Metal Fabrication, Oil & Gas, Rail, Refuse & Recyling, Utility Operations Tasks

Greasy Parts Handling, Oily Components, Small Parts Handling

Glove Materials:

Liner:	Ultra Light Nylon / Spandex
Coating:	Nitrile / Advanced Sandy Nitrile

The information supplied in our literature or given by our employees is based upon extensive knowledge and experience. This information, together with that supplied by our agents or distributors, is given in good faith in order to help you. Our Company policy is one of continuous Research and Development; we therefore reserve the right to update this information at any time without prior notice. We also guarantee the consistent high quality of our products; however, as we have no control over site conditions or the execution of the work, we accept no liability for any loss or damage which may arise as a result thereof. Any existing intellectual property right must be observed. Supertouch's standard terms and conditions apply.

Product Codes:

Code	Size	Colour
PG20212	Medium	
PG20213	Large	
PG20214	XLarge	

"Pawā" and "Supertouch" are registered trademarks of:

Allied International Trading Ltd Unit 3 Rabone Park, Rabone Lane Smethwick, West Midlands, B66 2NN